## IN THE CLAIMS:

Please cancel claims 37-42.

1. (currently amended) A method for the isolation of stem cells of a mammal, the method comprising:

obtaining a sample of cells from the mammal;

sorting, from the sample, cells that express  $\beta_2$ -microglobulin from cells that do not express  $\beta_2$ -microglobulin; and

selecting stem cells from the sample of cells that do not express  $\beta_2$ -microglobulin.

- 2. (original) The method of claim 1, wherein the step of sorting comprises sorting by fluorescent activated cell sorting.
- 3. (original) The method of claim 1, wherein the step of sorting comprises sorting by magnetic bead cell sorting.
- 4. (original) The method of claim 1, wherein the step of sorting comprises sorting by double magnetic bead cell sorting.
- 5. (original) The method of claim 1, wherein the step of selecting stem cells further comprises sorting, from the sample of cells that do not express β<sub>2</sub>-microglobulin, cells that express a stem cell marker from cells that do not express a stem cell marker.

## Claims 6-7 (cancelled)

- 8. (original) The method of claim 5, wherein the stem cell marker is a protein expressed by one or more genes encoding the major histocompatibility complex.
- 9. (original) The method of claim 8, wherein the one or more genes encode human leukocyte antigens.

- 10. (previously presented) The method of claim 5, wherein the marker is Thy-1.
- 11. (previously presented) The method of claim 5, wherein the marker is selected from the group consisting of RT1A, RT1B, and RT1D.
- 12. (previously presented) The method of claim 5, wherein the marker is selected from the group consisting of flt-3, CD 34, c-Kit, and CD38.
- 13. (original) The method of claim 5, wherein the step of selecting stem cells further comprises sorting by fluorescent activated cell sorting.
- 14. (original) The method of claim 5, wherein the step of selecting stem cells further comprises sorting by magnetic bead cell sorting.
- 15. (original) The method of claim 5, wherein the step of selecting stem cells further comprises sorting by double magnetic bead cell sorting.
- 16. (original) The method of claim 1, wherein the sample of cells is obtained from an adult mammal.
- 17. (original) The method of claim 1, wherein the sample of cells is obtained from a fetus.
- 18. (original) The method of claim 1, wherein the sample of cells is obtained from bone marrow.
- 19. (original) The method of claim 1, wherein the sample of cells is obtained from the liver of a mammal.
- 20. (original) The method of claim 1, wherein the sample of cells is obtained from the brain of a mammal.

21. (currently amended) A method for the isolation of stem cells of a mammal, the method comprising:

obtaining a sample of cells from the mammal;

sorting, from the sample, cells that express  $\beta_2$ -microglobulin from cells that do not express  $\beta_2$ -microglobulin; and

sorting, from the sample of cells that do not express  $\beta_2$ -microglobulin, cells that express a stem cell marker from cells that do not express a stem cell marker.

- 22. (original) The method of claim 21, wherein the step of sorting comprises sorting by fluorescent activated cell sorting.
- 23. (original) The method of claim 21, wherein the step of sorting comprises sorting by magnetic bead cell sorting.
- 24. (original) The method of claim 21, wherein the step of sorting comprises sorting by double magnetic bead cell sorting.
- 25. (original) The method of claim 21, wherein the stem cell marker is a protein expressed by one or more genes encoding the major histocompatibility complex.
- 26. (original) The method of claim 25, wherein the one or more genes encode human leukocyte antigens.
- 27. (previously presented) The method of claim 21, wherein the marker is Thy-1.
- 28. (previously presented) The method of claim 21, wherein the marker is selected from the group consisting of RT1A, RT1B, and RT1D.
- 29. (previously presented) The method of claim 21, wherein the marker is selected from the group consisting of flt-3, CD 34, c-Kit, and CD38.

- 30. (original) The method of claim 21, wherein the sample of cells is obtained from an adult mammal.
- 31. (original) The method of claim 21, wherein the sample of cells is obtained from a fetus.
- 32. (original) The method of claim 21, wherein the sample of cells is obtained from bone marrow.
- 33. (original) The method of claim 21, wherein the sample of cells is obtained from the liver of a mammal.
- 34. (original) The method of claim 21, wherein the sample of cells is obtained from the brain of a mammal.
- 35. (original) The method of claim 21, wherein the cells that express a stem cell marker are pluripotent stem cells.
- 36. (original) The method of claim 21, wherein the cells that express a stem cell marker are embryonal stem cells.

Claims 37-42 (cancelled)

Q